

Definition. A function f is **increasing** (\nearrow) on an interval I if $f(a) < f(b)$ for each pair of numbers a and b in I with $a < b$. The function is **decreasing** (\searrow) on an interval I if $f(a) > f(b)$ for each pair of numbers a and b in I with $a < b$.

Results:

- If $f'(x) > 0$ on an interval, then f is increasing (\nearrow) on that interval.
- If $f'(x) < 0$ on an interval, then f is decreasing (\searrow) on that interval.

The First Derivative Test. Suppose that $x = c$ is a critical number of a continuous function f .

- If $f'(x)$ changes sign from positive to negative at $x = c$, then f has a relative maximum at $x = c$.
- If $f'(x)$ changes sign from negative to positive at $x = c$, then f has a relative minimum at $x = c$.
- If $f'(x)$ does not change sign from positive to negative (or vice versa) at $x = c$, then f has neither a relative maximum nor a relative minimum at $x = c$.

How to find relative extrema using the First Derivative Test.

1. Find the numbers $x = c$ in the domain of f where $f'(c) = 0$ or $f'(c)$ does not exist. (That is, find the critical numbers of f .)
2. Plot these critical numbers on a number line.
3. Determine the sign of $f'(x)$ both to the left and right of these critical numbers by evaluating $f'(x)$ at test numbers. Keep in mind that if $f'(x) > 0$, then the function is increasing (\nearrow), and if $f'(x) < 0$, then the function is decreasing (\searrow).
4. (a) If $f'(x)$ changes from $\boxed{+}$ to $\boxed{-}$ at $x = c$ (i.e., \nearrow to \searrow), then f has a relative maximum at $x = c$.
 (b) If $f'(x)$ changes from $\boxed{-}$ to $\boxed{+}$ at $x = c$ (i.e., \searrow to \nearrow), then f has a relative minimum at $x = c$.
 (c) If $f'(x)$ does not change sign at $x = c$ (i.e., \searrow to \searrow OR \nearrow to \nearrow), then f has neither a relative maximum nor a relative minimum at $x = c$.

Example 2. Use the First Derivative Test to find the relative extrema of

$$f(x) = \frac{1}{3}x^3 + \frac{1}{2}x^2 - 12x + 1.$$

Give only the x -coordinate(s) of the extrema.

SOLUTION. First find the critical numbers:

$$f'(x) = x^2 + x - 12.$$

So the critical numbers are

$$x^2 + x - 12 = 0$$

$$(x + 4)(x - 3) = 0$$


$$x + 4 = 0$$

$$x - 3 = 0$$


$$\boxed{x = -4}$$

$$\boxed{x = 3}$$

Plot these critical numbers on a number line. Notice how the number line is divided into three regions: **I**, **II**, and **III**.



We now need to determine if the function is increasing or decreasing on each of these regions. To do this, we evaluate the derivative at test numbers chosen from each region. (In this case, we will choose -5 , 0 , and 4 as our test numbers.) Remember that if the first derivative is positive, then the function is increasing (\nearrow), and if it is negative, then the function is decreasing (\searrow).



From the sign chart, we see that f has a relative maximum at $x = -4$ and a relative minimum at $x = 3$.

Note that if the problem asked for the y -coordinates of the extrema (that is, the relative maximum and minimum *values*), then we would simply find $f(-4)$ and $f(3)$.

EXERCISES

Use the 1st Derivative Test to find the relative extrema of the following functions. Give only the x -coordinates of the extrema. Indicate your answer as a relative max or min. Pay close attention to the function's domain and any vertical asymptotes.

1. $f(x) = x^3 - 3x^2 - 24x + 2$

2. $f(x) = 2x^3 + 3x^2 - 36x + 5$

3. $f(x) = x^3 - 12x + 5$

4. $f(x) = 3x^4 - 4x^3 - 36x^2 - 5$

5. $f(x) = x^4 - 4x^3 + 3$

6. $f(x) = 6x^5 - 40x^3 + 1$

7. $f(x) = x^4 - 6x^2 + 5$

8. $f(x) = x^3 - 6x^2 + 3x + 1$

9. $f(x) = 3x^4 + 8x^3 - 5$

10. $f(x) = (2x + 6)^4$

11. $f(x) = \frac{x^2}{x - 3}$

12. $f(x) = \frac{x^2 + 4}{x^2 - 4}$

13. $f(x) = \frac{5x^2}{(x - 2)^2}$

14. $f(x) = \frac{5x}{(x + 3)^3}$

15. $f(x) = \frac{x^2}{(x - 4)^3}$

16. $f(x) = \frac{x^2}{x^2 + 1}$
(Note: Domain = \mathbb{R} .)

17. $f(x) = \frac{x}{x^2 + 9}$
(Note: Domain = \mathbb{R} .)

18. $f(x) = \frac{e^x}{x^2 + 1}$
(Note: Domain = \mathbb{R} .)

19. $f(x) = 4x\sqrt{x + 6}$

20. $f(x) = (2x - 4)\sqrt{x + 4}$

21. $f(x) = \sqrt{x^2 + 1}$
(Note: Domain = \mathbb{R} .)

22. $f(x) = \ln(x^2 + 1)$
(Note: Domain = \mathbb{R} .)

23. $f(x) = x^2 e^x$

ANSWERS

1. Relative max at $x = -2$
Relative min at $x = 4$
2. Relative max at $x = -3$
Relative min at $x = 2$
3. Relative max at $x = -2$
Relative min at $x = 2$
4. Relative max at $x = 0$
Relative min at $x = -2, 3$
5. Relative min at $x = 3$
6. Relative max at $x = -2$
Relative min at $x = 2$
7. Relative max at $x = 0$
Relative min at $x = -\sqrt{3}, \sqrt{3}$
8. Relative max at $x = 2 - \sqrt{3}$
Relative min at $x = 2 + \sqrt{3}$
9. Relative min at $x = -2$
10. Relative min at $x = -3$
11. Vertical asymptote at $x = 3$
Relative max at $x = 0$
Relative min at $x = 6$
12. Vertical asymptotes at $x = \pm 2$
Relative max at $x = 0$
13. Vertical asymptote at $x = 2$
Relative min at $x = 0$
14. Vertical asymptote at $x = -3$
Relative max at $x = 3/2$
15. Vertical asymptote at $x = 4$
Relative max at $x = 0$
Relative min at $x = -8$
16. Relative min at $x = 0$
17. Relative max at $x = 3$
Relative min at $x = -3$
18. No Relative max or min
19. Domain is $x \geq -6$
Relative min at $x = -4$
20. Domain is $x \geq -4$
Relative min at $x = -2$
21. Relative min at $x = 0$
22. Relative min at $x = 0$
23. Relative max at $x = -2$
Relative min at $x = 0$