

## A Significant Review -- KEY

Let's start off with scientific notation...

- |     |                |                            |   |
|-----|----------------|----------------------------|---|
| 1a) | 54,670,000,000 | → 5.467x10 <sup>10</sup>   | (original value was greater than  1 , so positive exponent) |
| 1b) | -5526.7        | → -5.5267x10 <sup>3</sup>  | (original value was greater than  1 , so positive exponent) |
| 1c) | 0.03289        | → 3.289x10 <sup>-2</sup>   | (original value was less than  1 , so negative exponent)    |
| 1d) | 100.00         | → 1.0000x10 <sup>2</sup>   | (original value was greater than  1 , so positive exponent) |
| 1e) | -0.000093740   | → -9.3740x10 <sup>-5</sup> | (original value was less than  1 , so negative exponent)    |
| 1f) | 9999.606       | → 9.999606x10 <sup>3</sup> | (original value was greater than  1 , so positive exponent) |
| 1g) | 2800           | → 2.8x10 <sup>3</sup>      | (original value was greater than  1 , so positive exponent) |
| 1h) | -0.00000005883 | → -5.883x10 <sup>-8</sup>  | (original value was less than  1 , so negative exponent)    |
| 1i) | 0.00008        | → 8x10 <sup>-5</sup>       | (original value was less than  1 , so negative exponent)    |
| 1j) | 0.11250        | → 1.1250x10 <sup>-1</sup>  | (original value was less than  1 , so negative exponent)    |

How many significant figures in a number:

- |     |                        |     |
|-----|------------------------|-----|
| 2a) | 6200                   | → 2 |
| 2b) | 1.032                  | → 4 |
| 2c) | 420.                   | → 3 |
| 2d) | 3.750x10 <sup>-6</sup> | → 4 |
| 2e) | 0.0006000              | → 4 |
| 2f) | 1x10 <sup>4</sup>      | → 1 |
| 2g) | 35000000               | → 2 |
| 2h) | 23.4400                | → 6 |
| 2i) | 100.0003               | → 7 |
| 2j) | 100.                   | → 3 |

Significant figures in calculations

- 3a)  $160 \times 0.3490 \times 23.1 = 1289.904$     160 = 2 s.f., 0.3490 = 4 s.f., 23.1 = 3 s.f., so answer can only have 2 s.f. → **1300 or 1.3x10<sup>3</sup>**

3b)

$$\begin{array}{r} 2.3806 \\ +0.01 \\ \hline 2.3906 \end{array} \rightarrow \mathbf{2.39}$$

- 3c)  $\frac{0.2689}{0.000159} = 1691.19497$     0.2689 = 4 s.f., 0.000159 = 3 s.f., answer has 3 s.f. → **1690 or 1.69x10<sup>3</sup>**

3b)

$$\begin{array}{r} 113 \\ -2 \\ \hline 93 \end{array} \rightarrow \mathbf{9}$$

- 3e)  $1500. \div 25 = 60$     1500. = 4 s.f., 25 = 2 s.f., answer has 2 s.f. → **60. or 6.0x10<sup>1</sup>**

- 3f)  $3.65 \times 10^{-3} \times 9.822 \times 10^4 = 360.693$     3.65x10<sup>-3</sup> = 3 s.f., 9.822x10<sup>4</sup> = 4 s.f., answer has 3 s.f. → **361**

- 3g)  $\frac{2.21100 \times 10^2}{32.1 \times 0.002000} = 3443.92523$     2.21100x10<sup>2</sup> = 6 s.f., 32.1 = 3 s.f., 0.002000 = 4 s.f., answer = 3 s.f. → **3440**  
OR **3.44x10<sup>3</sup>**

3h)

$$\begin{array}{r}
 0.34864 \\
 +1 \\
 \hline
 1.34864
 \end{array}
 \rightarrow 1 \text{ (this is the answer)}$$

3i)

$$\begin{array}{r}
 26.1 \\
 - .00030000 \\
 \hline
 26.09970000
 \end{array}
 \rightarrow 26.1 \text{ (you are subtracting a very small number from a large number; it doesn't make a difference here)}$$

3j)

$$\begin{array}{r}
 1200 \\
 49.49 \\
 + 1.004 \\
 \hline
 1250.494
 \end{array}
 \quad 1250.494 = 1.250494 \times 10^3 \rightarrow 1.3 \times 10^3 \quad (\text{again, put into scientific notation THEN round off})$$

3k)  $33.3 \times 3.0 = 99.9$        $33.3 = 3 \text{ s.f.}, 3.0 = 2 \text{ s.f.}, \text{ answer} = 2 \text{ s.f.}$        $99.9$  rounds to 100, but MUST have 2 s.f.  $\rightarrow 1.0 \times 10^2$